



Frost



Too White



Chalk



Seafoam



White Ice



Sea White



Ivory



Oyster



Coral



Sand



Buff



Lotion



Linen



Dune



Hampton



Pelican



Mist



Dove



Mirage Gray



Ash



Limestone



Marble



Ultimate Gray



Smoke



Gunmetal



Charcoal



Navel Orange



Chinese Red



Chili



America Beauty



Ruby



Caramel



Coffee



Chocolate




Lemon Peel



Sun




Irish



Hunter Green



Sky



Turquoise



Teal




Regatta



Royal Blue



Nautical Blue



Moonlit Ocean



Ebony

Atlantis

Recommended Applications



Marine



Outdoor
Upholstery

Specification

Surface Composition	100% PVC
Thickness	1.0 mm
Width	54" / 137cm
Backing	100% Polyester Knitted Fabric
Weight	33 oz per linear yard / 750 gsm
Abrasion Resistance	150,000+ Double Rubs ASTM D 4157-13 Wyzenbeek
UV Resistance	1,000 Hours ASTM G154-12a
Colorfastness to Light	1,000 Hours AATCC 16.3-2014, Option 3
Cold Crack	-20°F per Federal Standard No.191A-TM5874 / CFFA-6a-2007
Mildew Resistance	ASTM G21-00
Flame Retardancy	FMVSS 302, CA TB 117-2013, UFAC CLASS I, NFPA260
Pink Stain Resistance	ASTM E1428

EN 71-3 Safety of Toys (Migration of certain elements)

BPA Free

Formaldehyde Free

7P Phthalate Free

Lead / Heavy Metal Free

RoHS Compliant



Nantong Yamei Plastics Co., Ltd.
james@yameiplastics.com

